

MODERN TECH™

Contemporary Insulated Steel Garage Doors




Construction:

The new Modern Tech steel garage door is built using Northwest Door's time proven sandwich-type construction, a construction method unparalleled in strength. A 24 gauge steel smooth exterior skin and a stucco embossed interior skin are pressure laminated to a 2 inch thick R10.4 expanded polystyrene core (EPS) using urethane adhesive. This forms a natural thermal barrier or **Thermal Break**. (A thermal break reduces the transmission of cold or hot air from one side of the door to the other).

20 gauge steel backer plates are toggle locked to the inside of the back skin prior to assembly for attaching door hardware. Flexible seal is added at section joints to minimize air infiltration. Heavy-duty 18 gauge steel end caps are secured to each end of the door sections. R12 insulation is an available option. Doors are available in four standard colors, interior color on all doors is Bright White (see color samples below).

Modern Tech doors are available in any width up to 18 feet wide in one inch increments and heights up to 14 feet using 24, 21 and 18 inch high door sections.

Doors are equipped with standard lift bracket mounted track, a 10,000 cycle torsion spring counterbalance system and 10 ball nylon rollers. All on-door operational hardware is galvanized and secured to door sections with zinc plated fasteners. Manual push-up operation is standard, optional electric operation recommended. Optional extended life cycle, high lift, low clearance and powder coated finish hardware are available.



Windows:

Window frames are high quality aluminum and painted to match the door face. They are available in 3 sizes / styles. 1/8" clear annealed glass is standard. Choose from a multitude of glass types. See our complete glass selection at www.NorthwestDoor.com.



Colors:

Four colors are available in our high quality 4 layer paint/protection system. If you are field painting your door, please select Bright White.



Note: Colors will vary due to the printing process, these images are not an exact match to the actual product.

Designs: Choose from a large selection of AFL AFR AFUL Al AT standard design configurations shown (scaled at 8'x7' and 16'x7') or create your own design using one or more of the window styles shown on page 2. BFR BFUL BI BT BFL CFL2 CFR2 CFL CFR CFUL CI CT CFLR CFLRC CRD AFUL AFL AFR Al AT AFL2 AFR2 AFLRC AFLR BFR BT BI BFUL BFL BFL2 **BFLRC** BFR2 BFLR CFL CFR CFLRC CLRD CRD CFLR



HÖRMANN NORTHWEST DOOR

a member of the Hörmann group

As one of the world's leading manufacturers of doors we're committed to providing the best quality, value, and selection. Whether residential or commercial; whether steel, aluminum, wood, or high density polystyrene; whether traditional or contemporary; we have the door you're looking for. Each Northwest Door product gives you the perfect array of benefits and optoins with the drive to match.



Northwest Door LLC

19000 Canyon Road East, Puyallup, WA 98375-9746 Phone: 253.375.0700 Fax: 253.375.0800

Email: info@northwestdoor.com

www.northwestdoor.com











AVAILABLE FROM:

